CONTENTS

Special Issue: Molecular Spectroscopy and Molecular Structure – A Collection of Invited Papers in Honour of Professor W.J. Orville-Thomas

Dedication to Professor W.J. Orville-Thomas ..... *ix*
Gas-phase structures of di-t-butyl ether and t-butyl methyl ether
S. Liedle, H.-G. Mack and H. Oberhammer (Tübingen, F.R.G.), M.T. Imam and N.L. Allinger (Athens, GA, U.S.A.) 17
Potential energy surface for the HCN dimer and trimer hydrogen-bonded complexes
W.B. Almeida and A. Hinchliffe (Manchester, Gt. Britain) 17
Benzenoids with hexagonal symmetry, including the rare animals "all-flakes"
S.J. Cyvin, B.N. Cyvin and J. Brunvoll (Trondheim, Norway 31
Force-field calculations on and the Raman spectra of NH_nD_{3-n} ($0 \leqslant n \leqslant 3$) molecules trapped in solid nitrogen
A. Loutellier and J.-P. Perchard (Paris, France) 51
Analysis of the infrared absorption spectra of solutions of water in some organic solvents
S.P. Paul and T.A. Ford (Johannesburg, South Africa) 65
Triatomic model of hydrogen-bond stretching modes in hydrogen-bonded dimers B···HX
Z. Kisiel (Warsaw, Poland), A.C. Legon (Exeter, Gt. Britain) and D.J. Millen (London, Gt. Britain) 77
Anomalous double minima in the angular variation of ENDOR transitions
C.A. McDowell and D.L. Sastry (Vancouver, B.C., Canada) 85
The quantum theory, calculation method and properties of the electro-optical parameters of some polyatomic organic compounds
L.A. Gribov and S.V. Kotov (Moscow, U.S.S.R.) 93
Differences in the structures of highly polar and hydrogen bonded liquids
P.L. Huyskens (Leuven, Belgium) 123
The basicity of the two carbonyl bonds in uracil derivatives
Th. Zeegers-Huyskens (Heverlee, Belgium) 135
Ab initio study of the effect of cation binding on the electronic structure of proteins
A.K. Bakhshi, J. Ladik and P. Otto (Erlangen, F.R.G.) 143
Bond-dissociation energies of organic compounds. A tentative rationalization based on the concept of stabilization energy
G. Leroy, M. Sana, C. Willante (Louvain-la-Neuve, Belgium) and R.M. Nemba (Youndé, Cameroun) 159
An MO study of the transferability of infrared intensity parameters in alkyl ethers
S. Ilieva and B. Galabov (Sofia, Bulgaria) 175
The quantitative prediction and interpretation of the vibrational spectra of organophosphorus compounds. Part II. Methylphosphonic difluoride $CH_3(PO)F_2$, methylphosphonothioic difluoride $CH_3(PS)F_2$ and methylphosphonofluoridic acid $CH_3(PO)FOH$
J.S. Kwiatkowski, K. Kubulat, W.B. Person and R.J. Bartlett (Gainesville, FL, U.S.A.) and J. Leszczynski (Birmingham, AL, U.S.A.) 187
The potential energy surface and equilibrium geometry of $Ar\cdots PH_3$
Z. Latajka and S. Scheiner (Carbondale, IL, U.S.A.) 205
Electronic structure and bonding of transition metal complexes MCO (M=Ru, Os)
A. Daoudi, M. Suard (Palaiseau, France), J.C. Barthelat (Toulouse, France) and G. Berthier (Paris, France) 215
The conjugated-circuit model: application to benzenoid hydrocarbons
S. Nikolić (Galveston, TX, U.S.A.), M. Randić (Ames, IA, U.S.A.), D.J. Klein (Galveston, TX, U.S.A.), D. Plavšić (Croatia, Yugoslavia) and N. Trinajstić (Galveston, TX, U.S.A.) 223
Vibrational spectra and conformational analysis of chloromethylchloroformate
F. Daeyaert and B.J. van der Veken (Antwerpen, Belgium) 239
A study of orbital interactions in the reactions of bicyclo[1.1.0]butane
H. Fujimoto, T. Yabuki and K. Fukui (Kyoto, Japan) 267
Nature of the protonic species and the gel–crystal transition in hydrated zirconium phosphate
P. Colomban (Palaiseau, France) and A. Novak (Thiais, France) 277

Quantum-mechanical studies of the structures of cytosine dimers and guanine–cytosine pairs
R. Czerminski (Warsaw, Poland), J.S. Kwiatkowski (Torun, Poland), W.B. Person and K. Szczepaniak (Gainesville, FL, U.S.A.) 297
The electronic spectra of benzo[b]thiete and transient *o*-thiobenzoquinonemethide. Spectral assignments on the basis of the electronic spectra of aniline, thiophenol, thioanisole, *all-trans*-octatetraene and transient *o*-xylylene in conjunction with quantum-chemical calculations
A. Schweig, F. Diehl, K. Kesper and H. Meyer (Marsburg, F.R.G.) 307
Complexation of guanine with dissolved oxygen in solution and study of excited-state lifetime
C. Santhosh and P.C. Mishra (Varanasi, India) 327
Intramolecular sulphur–oxygen interaction in organosulphur compounds with different sulphur valence state: an X-ray study of methyl-2-nitrobenzene-sulphenate,-sulphinate,-sulphonate and 2-nitrobenzenesulphenyl chloride
Á. Kucsman, I. Kapovits, M. Czugler, L. Párkányi and A. Kálmán (Budapest, Hungary) 339
Intramolecular sulphur(II)-oxygen interaction in acyl chlorides: an X-ray study of 2,2′-thiodibenzoyl chloride and 2,2′-dithiodibenzoyl chloride
L. Párkányi, A. Kálmán, A. Kucsman and I. Kapovits (Budapest, Hungary) 355
Conformational stability, barriers to internal rotation, ab initio calculations and vibrational assignment of fluoroacetyl fluoride
J.R. Durig, H.V. Phan, J.A. Hardin, R.J. Berry and T.S. Little (Columbia, SC, U.S.A.) 365
A theoretical study of the $C_3H_4^{2+}$ potential energy surface
M.W. Wong and L. Radom (Canberra, A.C.T., Australia) 391
Raman and infrared spectroscopic studies of the low- and high-temperature forms of octahalo cyclic phosphazene tetramers, $P_4N_4Cl_8$ and $P_4N_4F_8$
V. Varma, J.R. Fernandes and C.N.R. Rao (Bangalore, India) 403
Bonded tableau method for many-electron systems
Zhang Qianer and Li Xiangzhu (Fujian, People's Republic of China) 413
Critical appraisal of some current semiempirical methods in calculating ESCA chemical shifts
Z.B. Maksić and S. Supek (Zagreb, Yugoslavia) 427
An infrared study of the effect of liquid ammonia on wood surfaces
N.L. Owen and Z. Pawlak (Provo, UT, U.S.A.) 435
FTIR study of the protonation of a Schiff base in chloroform–methanol mixtures
C. Rhofir, H. Le-Thanh, D. Vocelle and C. Sandorfy (Montreal, Que., Canada) 451
Proton transfer in the $HCOOH \cdot CH_3NH_2$ complex. Ab initio study with various basis sets and solvent reaction field
M. Hodošček and D. Hadži (Ljubljana, Yugoslavia) 461
A simple way to obtain information on charge distribution in molecules directly from infrared spectra: the case of C–H bonds
C. Castiglioni, M. Gussoni and G. Zerbi (Milan, Italy) 475
An ab-inito SCF-MO study of the solvent effect in α-substituted carbanions
F. Bernardi, G. S. Valli and A. Venturini (Bologna, Italy) 489
Reversible proton transfer in the 2,3,5,6-tetrachlorophenol-*N,N*-dimethylaniline hydrogen-bonded complex studied by low-temperasture ^1H NMR spectroscopy
M. Ilczyszyn, H. Ratajczak (Wroclaw, Poland) and J.A. Ladd (Salford, Gt. Britain) 499
Polarized infrared and Raman spectra of caesium hydrogen succinate monohydrate single crystal
M.M. Ilczyszyn, H. Ratajcak (Wroclaw, Poland) and A.J. Barnes (Salford, Gt. Britain) 505
Short Communication
Sulfur-edge X-ray absorption near edge spectra (XANES) of some thiometallates and thiometallato complexes
V. Wittneben, A. Sprafke, E. Diemann, A. Muller (Bielefeld, West Germany), M. Kuetgens, R. Chauvistré and J. Hormes (Bonn, West Germany) 525
Author index 531
Subject index 532